

Product Guide

International Edition



Designed & made in
the UK by Texecom

Texecom

Company Profile

Texecom is Europe's largest independent security alarm specialist providing bespoke design solutions that protect people and property throughout the world. Texecom's award-winning products cover every aspect of external and internal security requirements, including a full range of motion detectors, control panels, perimeter protection devices, fire detectors and external sounders. Texecom has recently launched products featuring a new ground breaking wireless technology, *Ricochet* mesh networking, to universal acclaim.

Complete control for all aspects of development is ensured through design, manufacture and thorough testing of all products in state-of-the-art UK facilities. With a passion and a focus on innovation, simplicity of operation, style and reliability, product requirements are engineered into leading edge designs, outstanding in both quality and performance.

Texecom is firmly committed to providing products that exceed the demands of European and international standards. Texecom prides itself on producing innovative products, designed to exceed expectations. Every product within the range is fully compliant with the requirements of the latest European Standards.

Texecom is a Halma Company. Halma makes products for hazard detection and life protection and is a market leader in specialist electronic, safety and environmental technologies.



Texecom is a member of the Harmony Alliance:

Visit www.harmony-alliance.com for further details.

HARMONY
< INTEGRATED SECURITY ALLIANCE >

New Featured Products

A selection of recently released new products from Texecom.



Premier Elite 12-W LIVE	4
Premier Elite Odyssey-W Series	5
Premier Elite OH-W	6
Premier Elite AM 360DT	7

Premier Elite Series

Premier Elite Series represents the most advanced electronic security solutions Texecom has to offer.



Control Panels	8 9
Mobile Apps	10
Keypads & Access Control	11
Expanders & Power Supplies	12
Communicators	13
Motion Detectors	14 15
External Sounders	16
Wireless	17 18 19 20 21

Premier Series

The Premier Series is a range of professional electronic security products, designed to exceed worldwide security requirements.



Control Panels	22 23
Keypads	24
Expanders	25
Motion Detectors	26 27
Perimeter Detectors	28
External Sounders	29
Wireless	30 31

Veritas Series

Veritas Series products are designed predominantly for residential or smaller installations where ease of use, ease of installation and product reliability are essential.



Control Panels	32 33
Keypads	34
Motion Detectors	35

Fire Detectors	36 37
Software	38
Peripherals & Speech Dialler	39
Product Compliance Tables	40 41

New Featured Products



Premier Elite 12-W LIVE

Self-contained wireless control panel

We believe that security should adapt to meet life's needs, not the other way around. The Premier Elite 12-W LIVE is a self-contained wireless control panel with *Ricochet*® mesh technology, a revolutionary wireless system that automatically adapts to any environment.

Ideal for homes and small businesses, the Premier Elite 12-W LIVE features 8 *Ricochet* enabled wireless zones, with another 4 zones for wired devices. The on-board LCD keypad ensures a superior user experience, and provides access to a new *Ricochet* learn function for easier programming and faster installations.



- 8 *Ricochet* Enabled Wireless Zones
- 4 Wired Zones
- 2 Areas
- 8 User Codes
- On-board LCD Keypad with Prox Reader
- 250 Event Log Time & Date Stamped
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Residential Wireless Solutions

Ricochet mesh technology brings commercial grade wireless signalling to residential applications.

 **RICOCHET**®



Mesh Network



Superior Range



Self Healing




Bi-Directional



Signal Encryption



Commission Mode



Premier Elite Odyssey-W Series

Ricochet® enabled wireless external sounders

Designed to surpass expectations, the Premier Elite Odyssey wireless external sounders offer new levels of wireless protection. Combining Texecom's widely acclaimed Odyssey design with *Ricochet*® mesh technology, the most popular external sounders on the market are now available in wireless form.

- 105dB(A) Piezo Sounder
- High Brightness LED Strobe
- Selectable Comfort LEDs
- IP65 Sealed Electronics
- Wall and Lid Tamper
- 2 to 5 Year Battery Life
- Features *Ricochet* Mesh Technology
- Powered by 8 x AA Lithium Batteries (included)
- PD6662: 2010, EN50131-4, EN50131-5-3 Grade 2, Class IV

The Premier Elite Odyssey-W products are available as backplates only, with covers available separately. Premier Elite Odyssey covers are interchangeable between wired and wireless versions, allowing the same company screen print to be used across a range of applications.

Only compatible with: Premier Elite Panel V2.11 Firmware or above, Premier Elite 8XP-W & 32XP-W V2.0 or above



New Featured Products



Premier Elite OH-W

Ricochet® enabled wireless smoke detector

Manufactured in partnership with Apollo, the Premier Elite OH-W combines world-class fire sensing with *Ricochet* mesh technology. Compatible with Premier Elite control panels (V2.11 and above), the Premier Elite OH-W optical and heat fire detector offers sensing of a wide range of fire types and provides the following outstanding features:

- Compatible with Premier Elite control panels V2.11 and above
- Optical and heat fire sensing
- *Ricochet* mesh technology
- 85dB(A) built-in sounder
- Powered by 3 x AAA batteries (included)
- 1.5 year battery life
- EN14604, EN50131-5-3, EN50131-1, PD6662:2010, Grade 2 Class II



Residential Wireless Solutions

Ricochet mesh technology brings commercial grade wireless signalling to residential applications.

 **RICOCHET**®



Mesh Network



Superior Range



Self Healing



Bi-Directional



Signal Encryption



Commission Mode

Manufactured in partnership with:


WORLD CLASS FIRE SOLUTIONS



Premier Elite AM 360DT

Ceiling Mount Anti Masking Dual Technology Detector

High-risk applications require high performance solutions. The Premier Elite AM 360DT offers Grade 3 dual technology ceiling mount detection for reliable catch performance, together with active IR anti-masking to protect against sabotage.

Outstanding features include:

- 9m maximum diameter coverage pattern
- Mounting height up to 3.6m
- Omni directional quad element pyro

- Adjustable K-band microwave detection
- Active IR anti masking
- Digital temperature compensation
- EN50131-1, EN50131-2-4 , PD6662:2010 Grade 3 Class II

Active IR Anti-Masking



The Premier Elite AM 360DT utilises Texecom's optically enhanced Active IR technique, the most secure and reliable anti-masking technology on the market.

The Active IR LED power output provides 100% lens coverage protection and, when combined with Texecom's proprietary digital signal processing algorithms, delivers exceptional anti-masking pick-up whilst actively discriminating against false masking sources.

Premier Elite Control Panels



A complete range of commercial grade, expandable, communicating control panels featuring integration compatibility with leading access control, CCTV, home automation and managed alarm-signaling providers. Each Premier Elite control panel shares the same programming platform and peripheral devices, ensuring instant product familiarity across the range.

Premier Elite Control Panels

For Premier Elite *Ricochet* enabled wireless panels go to page 19 >

Premier Elite 12

- 4 Zones Expandable to 12
- 2 Areas
- 8 User Codes
- 250 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, Grade 2 Class II



Premier Elite 24

- 8 Zones Expandable To 24
- 2 Areas
- 25 User Codes
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, Grade 2 Class II (Polymer), Grade 3 Class II (metal)



Premier Elite 48

- 8 Zones Expandable To 48
- 4 Areas
- 50 User Codes
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, Grade 3 Class II



Premier Elite 88

- 8 Zones Expandable To 88
- 8 Areas
- 100 User Codes
- 1000 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, Grade 3 Class II



Premier Elite 168

- 8 Zones Expandable To 168
- 16 Areas
- 200 User Codes
- 2000 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, Grade 3 Class II








Premier Elite 640

- Expandable To 640 Zones
- 64 Areas
- 500 User Codes
- 5000 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, Grade 3 Class II



New Features

Feature	Benefit
Energy efficient control panels	The Premier Elite range of control panels have built in switch mode power supplies which are 80% efficient, providing savings of more than 40% in running costs compared to linear power supplies.
Increased processing power	Texecom have significantly upgraded the processing power to enhance functionality and enable faster implementation of new features.
Single Premier Elite software platform	The Premier Elite 12, 24 and Premier Elite 640 now share the same code platform as the Premier Elite 48, 88 and 168. All future product enhancements across the range will happen simultaneously, all peripheral equipment will work across all control panels and, most importantly, customers familiar with one control panel will be familiar with the entire range.
Extra user codes	The number of available user codes has doubled on all Premier Elite Series control panels.
Greater Scalability	Premier Elite control panels can accept multiple <i>Ricochet</i> capable wireless expanders increasing the wireless device capacity.
Increased Wireless Keyfob Users	With Premier Elite control panels wireless keyfobs are now assigned to users and no longer take up device slots on wireless expanders. This dramatically increases the number of wireless keyfobs available on each system.

Scalability		Onboard Wired Zones				Onboard Wireless Zones				Areas	Max Keypads	User Codes
Max Zones Expanded	Max Wireless Zones Expanded	Hard-wired		Wireless		Polymer		Livefront				
		Metal	Polymer	Polymer	Livefront							
Premier Elite Control Panels	12	8	-	✓	✓	✓	2	2	8			
				4	0	4	8	4	8			
	24	16	✓	✓	✓	✓	2	4	25			
			8	0	8	0	4	16	4	16		
	48	32	✓	✓	✓	✓	4	4	50			
			8	0	8	0	4	32	4	32		
88	64	✓	-	-	-	8	8	100				
		8	0									
168	128	✓	-	-	-	16	16	200				
		8	0									
640	512	✓	-	-	-	64	64	500				
		0	0									

Premier Elite Mobile Apps



Premier Elite control panels can now be remotely controlled by smartphone and tablet. The 3 apps offer end-user, master user and system engineer functionality.

Premier Elite Mobile Apps




SmartKey App

Emulating Texecom's acclaimed wireless SmartKey interface, the SmartKey App provides end-users a simple, intuitive interface to arm, part arm, disarm and trigger up to 3 programmable outputs.



Keypad App

The Keypad App emulates a Premier Elite keypad interface. This allows end-users, master users and engineers the ability to remotely control the alarm system, as if physically standing in front of an actual keypad connected to the system. The SmartKey App is also contained within the Keypad App.



Engineer App

The Engineer App contains all the functionality of the Keypad App with added system engineer diagnostics and commissioning tools. Panel status, zone status, event log and remote anti-code reset functions make this a valuable engineering tool.

System Requirements

- All of the applications require a mobile device running Android V2.2 and above or iOS6 and above.
- The mobile apps are compatible with Premier Elite control panels V1.00 and above and Premier 48/88/168 control panels V8.14 and above.

Connectivity to the control panel requires IP or GPRS communications. It is recommended that installers are experienced in configuring IP or GPRS systems before attempting to use Texecom mobile apps.

One of the following communication devices is required to enable mobile app connectivity:

- Premier Elite ComGSM (running in GPRS mode with a fixed IP address SIM card)
- Premier Elite ComIP
- Chiron IRIS communicator

Premier Elite Keypads & Access Control



The Premier Elite range of blue-backlight LCD keypads excel in any surroundings. With stunning looks and features to match, experience nothing but the very best in keypad design. Ideal for luxury homes and high value premises, these keypads can be used with both Premier Series and Premier Elite Series control panels.

Premier Elite Keypads



Premier Elite LCDLP

Remote keypad with large 32 character LCD display. Incorporates 2 DP or EOL zones, 1 programmable output and a built-in proximity tag reader.

Premier Elite Flush & Surface Mount

Flush and surface mount keypad options. Large blue LCD screen with touchtone backlit keys. Built-in proximity tag reader.



Polished Chrome



Satin Chrome



Diamond White



Polished Brass



Gunmetal



Diamond Black

Premier Elite Access Control

Premier Elite iProx

Provides support for Texecom proximity tags & other standard 26 bit wiegand readers. Tags can be learnt & stored locally with the controller in stand-alone mode, allowing the unit to be used as a single door access controller.



Premier Elite iProx & External Prox Kit:



Premier Elite iProx

Provides support for Texecom proximity tags & other standard 26 bit wiegand readers. Tags can be learnt & stored locally with the controller in stand-alone mode, allowing the unit to be used as a single door access controller.

Premier Elite External iProx Coil

When used in conjunction with the Premier Elite iProx & Texecom Proximity Tags allows the user to disarm the system externally. The unit can also be used as a single door access controller, by using it as a stand alone module with the Premier Elite iProx.



Premier Elite Expanders & Power Supplies



A complete range of expansion modules and power supplies providing superior design flexibility and increased system options.

Premier Elite Expanders & Power Supplies



Premier Elite 8XP

- Premier Elite Series Compatible
- 8 Additional Outputs
- 1 Auxiliary Input
- Speaker Driver

Premier Elite OP16

- Premier Elite Series Compatible
- 16 Additional Outputs
- Remote Wired



Premier Elite RM8

- Premier Elite/Premier Series Compatible
- 8 Relay Outputs
- Remote Wired
- Plug-On - Premier Elite Series Only (except Premier Elite 24 and Premier Elite 48-W)

Premier Elite 60iXD

- Premier Elite/Premier Series Compatible
- 60 Additional Zones
- Remote Wired
- Plug-On (Local mode & Network mode)
- Expansion module providing two iD loops each supporting 30 iD biscuits.



Premier Elite PSU200XP

- Energy efficient 2.5A switch mode power supply with Premier Elite 8XP expander.
- Full monitoring & Diagnostics with Premier Elite Control Panels.

Premier Elite PSU200

- Energy efficient 2.5A switch mode power supply.



Features & Functions

Premier Elite Expanders	Premier Elite 8XP	Premier Elite OP16	Premier Elite RM8	Premier Elite 60iXD
Premier Elite Series Compatible	•	•	•	•
Premier Series Compatible			•	•
Additional Zones	8			60
Additional Outputs	8	16		
Auxiliary Inputs	1			
Speaker Driver	•			
Relay Outputs			8	
Remote Wired	•	•	•	•
Plug-On			•	•
EN 50131-1	Grade3	Grade3	Grade3	Grade3
EN 50131-3	Grade3	Grade3	Grade3	Grade3

Premier Elite Communicators



Premier Elite communicators provide reliable, flexible and interchangeable signaling options. A variety of protocols, interface formats and multi-path transmission routes guarantees a communication solution to suit any installation requirement. Premier Elite communicators are used with Premier Elite control panels, with some models also compatible with Premier Series control panels.

Premier Elite Communicators



Premier Elite Com300

Plug-on multi-protocol digital communicator/ 300-baud modem. Enables full upload/download & system programming.



Premier Elite ComIP

Allows connection from the Premier/Premier Elite Series control panels to a Local or Wide Area Network (LAN/WAN). This allows alarms to be signalled over an IP network to an alarm receiving centre via Texecom's Montex Software. Enables full upload/download & system programming.

Premier Elite Com2400

Plug-on multi-protocol digital communicator/ 2400-baud modem enabling SMS text messaging. Enables full upload/download & system programming.



Premier Elite ComGSM

Provides SMS text messaging for communication of alarm events, remote control & remote diagnostics.



Features & Functions

Premier Elite Communicators	Com300	Com2400	ComGSM	ComIP
Premier Elite Series Compatible	•	•	•	•
Premier Series Compatible				•
Modem Speed (Baud)	300	2400	9600	19200
SMS Text Facility		•	•	
ATS Class	2	2	4	4
EN 50131-1	Grade3	Grade3	Grade3	Grade3
EN 50136-2-3	Grade2	Grade2	Grade3	Grade3
Upload/Download	Grade3	Grade3	Grade3	Grade3

Premier Elite Motion Detectors



Inspired by a design philosophy of contemporary styling combined with the most advanced detection performance, the Premier Elite Series is intended for those who demand the very best.

Premier Elite Anti-Masking Detectors



Premier Elite AMQD

Grade 3 anti-masking digital quad PIR. Genuine quad element detection provides exceptional performance. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, wall tamper detection and local & remote test facilities.



Premier Elite AMDT

Grade 3 anti-masking digital dual technology detector. Features fully adjustable microwave range and digital PIR temperature compensation. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, wall tamper detection and local & remote test facilities.

Premier Elite AM360 QD

Grade 3 anti-masking digital quad PIR. Omni-directional quad element pyro for true 360° Coverage. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, ceiling tamper detection and local & remote test facilities.



Premier Elite AM360 DT

Grade 3 anti-masking digital dual technology detector. Omni-directional quad element pyro for true 360° Coverage. Active IR anti-masking, Triple End-Of-Line (T-EOL) signalling, ceiling tamper detection and local & remote test facilities.



Premier Elite Mirrored Detectors



Premier Elite MR

Digital PIR with mirrored optics. Advanced optical system and digital signal processing guarantee exceptional catch-performance. 40m long range version also available.



Premier Elite IR

High immunity PIR with interchangeable electronics module. Multi mode digital pulse count maximises detector performance. ICC™ (Intruder Confirmation Circuitry) ensures false alarm immunity from RF, lightning and mobile phones.



Premier Elite QD

Quad element digital PIR with interchangeable electronics module. Genuine quad detection provides additional stability for harsh environments. Features advanced microprocessor design and digital temperature compensation.



Premier Elite TD

Twin dual element PIR with interchangeable electronics module. Two dual element sensors provide exceptional stability, ideal for commercial applications. Features advanced microprocessor design and digital temperature compensation.



Premier Elite DT/CW

Digital dual technology detector with interchangeable electronics module. X-band doppler, adjustable microwave range, digital temperature compensation and advanced signal processing ensures maximum false alarm immunity. CloakWise™ (CW) version also available.

Event Driven CCTV Detectors



Premier Elite Orbit DT

Dual technology detector provides enhanced protection in particularly hostile environments. The detection element is fully adjustable through 180° with a 90° tilt. This provides a 10° to 70° detection angle with a maximum of 30m coverage. Mounting height is up to 6 metres.



Premier Elite Orbit QD

Quad element detector suitable for most applications. The detection element is fully adjustable through 180° with a 90° tilt. This provides a 10° to 70° detection angle with a maximum of 30m coverage. Mounting height is up to 6 metres.

Features & Functions

Premier Elite Motion Detectors	IR	QD	TD	DT/CW	MR	AMQD	AMDT	AM360 QD	AM360 DT
Detection Range (m/ft)	15/50	15/50	15/50	15/50	15/50	15/50	15/50	9.3/30	9.3/30
Mounting Brackets Available	•	•	•	•	•	•	•	N/A	N/A
Temperature Compensation	•	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Pulse Count	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Microprocessor Technology		•	•	•	•	•	•	•	•
Interchangeable PCB Module	•	•	•	•	•	•	•		
Active IR Anti-Masking						•	•	•	•
Mirrored Optics					•				
Multiple LED Indication		•	•	•		•	•	•	•
EN 50131-1	Grade2	Grade2	Grade2	Grade2	Grade2	Grade3	Grade3	Grade3	Grade3
EN 50131-2-2	Grade2	Grade2	Grade2	N/A	Grade2	Grade3	N/A	Grade3	N/A
EN 50131-2-4	N/A	N/A	N/A	Grade2	N/A	N/A	Grade3	N/A	Grade3

Premier Elite External Sounders



Premier Elite Odyssey sounders combine high output audible and visual alarm signaling with EN Grade 3 level diagnostics and fault monitoring. Designed for high-risk applications, the Premier Elite Odyssey sounders are available in a variety of shapes to cater for different application requirements.

- 115 dB Twin Piezo Sounders
- IP65 Sealed Electronics Module
- Wall, Lid & Screw Tamper
- Advanced Microprocessor Technology
- Patented Engineer Hold-off Mode
- Battery Monitoring with Fault Output
- Alternating Twin LED Indication
- Polycarbonate Construction
- Range of Colours Available
- Screen Printing Available
- EN50131-1, EN50131-4 Grade 3 Class IV

For Premier Elite *Ricochet* enabled wireless external sounders go to page 21 >



Premier Elite Odyssey 1



Premier Elite Odyssey 2



Premier Elite Odyssey 3



Premier Elite Odyssey 4



Premier Elite Odyssey 5



Premier Elite Odyssey 5 Compact

Premier Elite Wireless




Ricochet® Wireless Technology

Introducing the next generation of wireless security, Texecom's new Ricochet mesh networking wireless technology delivers more performance than any other wireless security system.

Ricochet enabled wireless devices receive and repeat wireless transmissions from other devices. The size, scalability and range of the entire system are extended as wireless signalling is no longer limited by point-to-point communications.

The range of a Ricochet enabled wireless system is greater than previous systems, with multiple devices capable of relaying messages to and from even the most remote locations in a building.




EASIER

Simple to setup, quick to install.




SMARTER

An intelligent system is a reliable system.



FURTHER

Greater range delivers greater protection.



Premier Elite Wireless



Ricochet now provides the following outstanding additional features:



Greater Scalability

Premier Elite control panels can accept multiple Ricochet MT2 capable wireless expanders increasing the wireless device capacity on every panel.

Premier Elite Control Panel	24	48	88	168	640
No. of Wireless Devices	16	32	64	128	512

Increased Wireless Keyfob Users

With Ricochet and Premier Elite control panels the keyfobs are now assigned to users and no longer take up device slots on wireless expanders.

Premier Elite Control Panel	24	48	88	168	640
No. of Keyfob Users	25	50	100	200	256



New 'Hybrid' Power Saving Mode

The 'Hybrid' mode provides the best of both worlds by increasing device responsiveness and reducing power consumption. In this mode, devices are deactivated when the system (or relevant area) is disarmed, and reactivated when the system (or area) is armed. A 'Global Poll' (patent pending) function updates all the wireless devices in a few seconds at the point of arming.

New Device Types

The Hybrid power saving mode has facilitated a new motion sensing device type, the Premier Elite DT-W. This wireless dual technology detector features all the performance characteristics of the acclaimed Premier Elite DT but in a Ricochet-enabled wireless form. In addition, new Ricochet enabled input/output modules are being developed that will allow any security device to signal wirelessly across a Ricochet mesh network system.



New Simplified Programming

Programming and commissioning has been simplified by integrating wireless setup directly into Premier Elite control panels. Wireless devices can be added or removed from the system directly from the zone programming menu. Wireless keyfobs can be added or removed directly from the user programming menu.

Remote Diagnostics

Texcom's Wintex upload/download software now integrates with Ricochet Monitor, allowing remote diagnostics of wireless system performance. With this integration, multiple wireless networks can be assessed, attributes configured and graphical representations of each mesh network can be diagnosed, all from within the Wintex profile. In addition, device zone allocations are shown from within the Ricochet Monitor diagnostics package, making system assessments even more intuitive and easier to use.



"The highest rated intruder alarm system we have ever tested!" Benchmark July 2012 issue.



Premier Elite Wireless Panels & Expanders



Premier Elite 12-W

Wireless Control Panel

- 8 Ricochet Enabled Wireless Zones
- 4 Wired Areas
- 2 Areas
- 8 User Codes
- 250 Event Log Time & Date Stamped
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Premier Elite 12-W LIVE

Wireless Control Panel

- 8 Ricochet Enabled Wireless Zones
- 4 Wired Areas
- 2 Areas
- 8 User Codes
- On-board LCD Keypad with Prox Reader
- 250 Event Log Time & Date Stamped
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Premier Elite 24-W

Wireless Control Panel

- Expandable to 24 zones, 16 Wireless Zones
- 2 Areas
- 25 User Codes
- Accepts up to 16 Ricochet Enabled Wireless Devices
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Premier Elite 48-W

Wireless Control Panel

- Expandable to 48 zones, 32 Wireless Zones
- 4 Areas
- 50 User Codes
- Accepts up to 32 Ricochet Enabled Wireless Devices
- 500 Event Log Time & Date Stamped
- Plug-on Digimodems
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Premier Elite 32XP-W

Wireless 32 Zone Expander

- Compatible with Texcom Premier Control Panels
- Wireless Monitor Software Diagnostics
- Engineers Keypad Connectivity
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Premier Elite 8XP-W

Wireless 8 Zone Expander

- Compatible with Texcom Premier Control Panels
- Wireless Monitor Software Diagnostics
- Engineers Keypad Connectivity
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II

Wireless Expansion

Ricochet Expansion Pack

Texecom's Ricochet Expansion Pack is the ideal way of adding additional security devices. Each pack includes a Premier 8XP-W wireless expander and a Premier IXP-W, a new 8-zone interface card that converts wireless devices into relay-driven wired outputs, providing up to 8 wireless device connections to any security system.



Premier Elite 8XP-W

Wireless 8 Zone Expander

- Compatible with Texecom Premier Control Panels
- Wireless Monitor Software Diagnostics
- Engineers Keypad Connectivity
- PD6662: 2010, EN50131-3, EN50131-5-3 Grade 2 Class II



Premier Elite IXP-W

- 8 zone wireless interface card with voltage free relay outputs

Premier Elite SmartKey & Premier Elite DT-W are not currently supported by the Ricochet Expansion Pack

Premier Elite Wireless Devices



Premier Elite SmartKey

Wireless Iconic Keyfob

- Remote Arm, Part Arm and Disarm
- Alarm System Status Display
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Output Control



Premier Elite DT-W

Wireless Dual Technology Detector

- 15m Volumetric Coverage
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Fully Adjustable K-band Microwave Detection
- Compatible with Premier Elite Panel/Expander Firmware V2.0 or Above



Premier Elite QD-W

Wireless Digital Quad Detector

- 15m Volumetric Coverage
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications



Premier Elite Impaq Plus-W

Wireless Shock Sensor

- Includes Optional Magnetic Contact
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Brown Casing Available



Premier Elite XT-W

Wireless Digital Detector

- 12m Volumetric Coverage
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications



Premier Elite Impaq Contact-W

Wireless Magnetic Contact

- Includes 2 Optional Hard Wired Inputs
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications
- Brown Casing Available



Premier Elite PA DP-W

Wireless Double Push Panic Alarm

- Joint Venture with Elmdene
- Typical 2 to 3 Year Battery Life
- Suitable for Commercial Applications



GJD D-Tect R

Wireless External Detector

- Quad PIR Detection
- IP65 Housing
- Seamless integration with Ricochet enabled Premier Elite control panels

Available from GJD
www.gjd.co.uk



Premier Elite OH-W

Wireless Optical & Heat Fire Detector

- Joint Venture with Apollo
- 1.5 Year Battery Life
- Built-in 85dB(A) Sounder

Premier Elite Wireless External Sounders

Designed to surpass expectations, the Premier Elite Odyssey wireless external sounders offer new levels of wireless protection. Combining Texecom's widely acclaimed Odyssey design with *Ricochet*® mesh technology, the most popular external sounders on the market are now available in wireless form.

- 105dB(A) Piezo Sounder
- High Brightness LED Strobe
- Selectable Comfort LEDs
- IP65 Sealed Electronics
- Wall and Lid Tamper
- 2 to 5 Year Battery Life
- Powered by 8 x AA Lithium Batteries (included)
- PD6662: 2010, EN50131-4, EN50131-5-3 Grade 2, Class IV



Premier Elite Odyssey 1-W



Premier Elite Odyssey 2-W



Premier Elite Odyssey 3-W



Premier Elite Odyssey 4-W



Premier Elite Odyssey 5-W

The Premier Elite Odyssey-W products are available as backplates only, with covers available separately. Premier Elite Odyssey covers are interchangeable between wired and wireless versions, allowing the same company screen print to be used across a range of applications.

Premier Control Panels



Highly configurable and communicating control panels for medium sized installations that require a quality, professional security solution. Featuring a myriad of programming options and configuration settings, Premier control panels can be tailored to suit a wide variety of applications.

Premier Control Panels



Premier 412

- 4 Zones Expandable To 12
- 2 Partitions
- 32 User Codes
- Integrated Communicator
- Wireless Expansion

Premier 816

- 8 Zones Expandable To 16
- 4 Partitions
- 32 User Codes
- Integrated Communicator
- Wireless Expansion



Premier 816 Plus

- 8 Zones Expandable To 16
- 4 Partitions
- 32 User Codes
- Integrated Communicator
- Wireless Expansion
- Remote Control

Premier 832


- 8 Zones Expandable To 32
- 4 Partitions
- 64 User Codes
- Integrated Communicator
- Wireless Expansion
- Remote Control







Premier Speech Module

- Four recordable 12 second audio messages
- Messages assigned to alarm channels
- Compatible with Premier 816 Plus and 832 control panels

System Architecture



Scalability

	Keypads	Max. No. of Zones	Areas	User Codes
Premier 412				
Premier 816	6	12	2	32
Premier 816 Plus	6	16	4	32
Premier 816 Plus	6	16	4	32
Premier 832	6	32	4	64

Features & Functions

Premier Control Panels	Premier 412	Premier 816	Premier 816 Plus	Premier 832
Number Of Zones (Onboard)	4	8	8	8
8 Zone Expanders	1	1	1	3
Plug On Local Expander	•	•	•	•
Zone Doubling Feature (on-board zones only)	•	•	•	•
Auxiliary Tamper Zone	•	•	•	•
Event Log (Time & Date Stamped)	750	750	750	1000
LED Remote Keypads	•	•	•	•
LCD Remote Keypads	•	•	•	•
Supervised Outputs	OP1/2 & Siren/Bell	OP1/2 & Siren/Bell	OP1/2 & Siren/Bell	OP1/2 & Siren/Bell
Programmable Outputs (Control Panel)	8	8	8	8
EN 50131-1	Grade2	Grade2	Grade2	Grade2
EN 50131-3	Grade2	Grade2	Grade2	Grade2

Premier Keypads



A range of high performance LCD and LED keypads featuring intuitive operation, ergonomic design, touchtone backlit keys and a host of innovative features. Premier Series keypads offer exceptional functionality for a wide variety of applications and can be used with Premier Series and Premier Elite Series control panels.

Premier Keypads



RKP4/8/16

4, 8 and 16 zone LED remote keypads compatible with Premier Series control panels.

RKP8Plus/16Plus

8 & 16 zone LED remote keypads incorporating 2 EOL zones, compatible with Premier Series control panels.



LCD / LCDP

Remote keypads with standard 32 character LCD display. Incorporates 2 DP or EOL zones and 1 programmable output. LCDP features built-in proximity tag reader.

LCDL / LCDLP


All the features of the LCD/LCDP plus large 32 character LCD and a speaker driver output for programmable volume control. LCDLP features built-in proximity tag reader.



Features & Functions

Premier Keypads	RKP 4/8/16	RKP 8 Plus/16 Plus	LCD/LCDP	LCDL/LCDLP
Premier Elite Series Compatible			•	•
Premier Series Compatible	•	•	•	•
Display	LED	LED	Green LCD	Green LCD
Touchtone Keys	•	•	•	•
Backlighting	•	•	•	•
Additional Zones		2	2	2
Programmable Outputs			1	1
Extension Speaker				•
Proximity Keypad Option			LCDP	LCDLP
EN 50131-1	Grade2	Grade3	Grade3	Grade3
EN 50131-3	Grade2	Grade3	Grade3	Grade3

Premier Expanders



Premier expanders offer a choice of remote or local zone expansion for the exclusive use with Premier Series control panels. Ideal for professional medium sized installations, Premier expanders are easy to configure and offer a reliable and effective option for system expansion.

Premier Expanders



Premier 8X

Remote Zone Expander for use with Premier Series control panels. Provides an additional 8 programmable EOL zones, 2 programmable outputs and a speaker driver output with programmable volume control.



Premier 8XE

Local plug-on Zone Expander for use with Premier Series and Premier Elite 24 control panels. Provides an additional 8 programmable EOL zones.

Features & Functions

Premier Expanders	Premier 8X	Premier 8XE
Premier Elite Series Compatible		•††
Premier Series Compatible	•	•
Additional Zones	8	8
Additional Outputs	2	
Speaker Driver	•	
Remote Wired	•	
Plug-On		•
EN 50131-1	Grade2	Grade3
EN 50131-3	Grade2	Grade3

††Premier Elite 24 only

Premier Motion Detectors



The Premier Compact Series of motion detectors features miniature, discreet styling and a selection of sensing technologies. Perfect for premium residential, retail or small commercial applications.

Premier Motion Detectors



Premier Compact IR

Miniature detector

- 12m volumetric range
- Interchangeable lens library
- Built-in EOL resistors
- Mounting height alignment
- Temperature Compensation



Premier Compact XT

Miniature digital detector

- 15m volumetric range
- Digital signal processing
- Interchangeable lens library
- Built-in EOL resistors
- Mounting height alignment
- Digital temperature compensation
- Remote LED disable



Premier Compact QD

Miniature digital quad detector

- 15m volumetric range
- Digital quad element detection
- Interchangeable lens library
- Built-in EOL resistors
- Mounting height alignment
- Digital temperature compensation
- Remote LED disable



Premier Compact PW

Miniature pet immune digital detector

- 12m volumetric range
- Digital signal processing
- Up to 35Kgs (77lbs) pet immunity
- Built-in EOL resistors
- Mounting height alignment
- Digital temperature compensation
- Remote LED disable

Premier Ceiling Mount Detectors



Premier 360 QD

- Detection Range 9.3/30 (m/ft)
- Selectable Pulse Count
- Sealed Optics
- Digital Microprocessor Technology
- Omni-directional Quad Element Pyro For True 360° Coverage



Premier 360 DT

- 9.3m coverage pattern
- 3.6m maximum mounting height
- Omni-directional quad pyro sensing
- K-band microwave detection
- Digital microprocessor technology
- Conforms to EN50131-2-4 requirements



Premier Outdoor Security Detectors



Premier External TD

- Dual, Over-Lapping, Digital PIR
- Adjustable optics and adjustable sensitivity
- Digital temperature compensation
- IP65 sealed enclosure
- Day/night mode and high white light immunity
- Quick and simple to install
- Mounting Height: 1.0-1.4m, 1.2m nominal
- Dimensions: 250mm x 86.5mm x 87mm
- Pole bracket available separately

Features & Functions

Detectors	Premier C.IR	Premier C.XT	Premier C.QD	Premier C.PW	Premier 360 QD	Premier 360 DT	Premier External TD
Detection Range (m/ft)	12/40	15/50	15/50	12/40	9.3/30	9.3/30	12/40
Temperature Compensation	•	Digital	Digital	Digital	Digital	Digital	Digital
Pulse Count	•	Digital	Digital	Digital	Digital	Digital	Digital
Microprocessor Technology		•	•	•	•	•	•
Mounting height alignment	•	•	•	•			
Sealed Optics	•	•	•	•	•	•	•
Miniature Housing	•	•	•	•			
Multiple LED Indication					•	•	•
Pet Immunity				•			
EN 50131-1	G2	G2	G2	G2	G2	G2	G2
EN 50131-2-2	G2	G2	G2	G2	G2	N/A	N/A
EN 50131-2-4	N/A	N/A	N/A	N/A	N/A	G2	G2

Premier Perimeter Detectors



The Premier Series offers a range of intelligent perimeter detection devices. With both acoustic and vibration detection options, Premier Series perimeter detectors offer additional security by detecting would-be intruders before entry is gained to the protected premises.

Premier Perimeter Detectors



Premier Impaq Plus

- Detection Type: Vibration
- Adjustable Sensitivity
- Engineer Setup
- Detection/Disable/Comfort LED
- Microprocessor Technology
- First To Alarm & Latch Input
- Digital Signal Processing
- Advanced Signal Processing Algorithms
- Available in Brown
- Grade 2 EN 50131-1



Premier Impaq Plus with Magnetic Contact

- Detection Type: Vibration/Magnetic
- Adjustable Sensitivity
- Engineer Setup
- Detection/Disable/Comfort LED
- Microprocessor Technology
- First To Alarm & Latch Input
- Digital Signal Processing
- Advanced Signal Processing Algorithms
- Available in Brown
- Grade 2 EN 50131-1, EN 50131-2-6



Premier Impaq Glass Break

- Detection Type: Acoustic
- Suited for plate, tempered, laminated & wired glass types
- Adjustable Sensitivity
- Engineer Setup
- Detection/Disable/Comfort LED
- Microprocessor Technology
- First To Alarm & Latch Input
- Digital Signal Processing
- Advanced Signal Processing Algorithms
- Grade 2 EN 50131-1, EN 50131-2-6

Premier External Sounders



Based on the fully featured Premier Elite Odyssey sounders, the Premier Odyssey E audible and visual alarm signaling devices are perfect for protecting premises that require maximum-security whilst optimising value.

- 109 dB Single Piezo Sounder
- IP44 Sealed Electronics Module
- Lid and Wall Tamper
- Advanced Microprocessor Technology
- Patented Engineer Hold-off Mode
- Alternating Twin LED Indication
- Polycarbonate Construction
- Range of Colours Available
- Screen Printing Available
- EN50131-1, EN50131-4 Grade 2 Class IV

Premier External Sounders



Premier Odyssey 1E



Premier Odyssey 2E



Premier Odyssey 3E



Premier Odyssey 4E




Premier Odyssey 5E



Premier Odyssey 5E Compact



Increasingly available to a wider audience, *Ricochet* mesh technology brings commercial grade wireless signalling to residential applications.



Key Features of *Ricochet* Mesh Technology:



Premier Wireless Motion Detectors



Premier Compact QD-W

Wireless Digital Quad Detector

- 12m Volumetric Range
- Digital Quad Element Detection
- Interchangeable Lens Library
- Mounting Height Alignment
- Digital Temperature Compensation



Premier Compact XT-W

Wireless Digital Detector

- 12m Volumetric Range
- Digital Signal Processing
- Interchangeable Lens Library
- Mounting Height Alignment
- Digital Temperature Compensation



Premier Compact PW-W

Wireless Pet Immune Digital Detector

- 12m Volumetric Range
- Digital Signal Processing
- Up to 35Kgs (77lbs) Pet Immunity
- Mounting Height Alignment
- Digital Temperature Compensation

Premier Wireless Ceiling Mount Detector



Premier 360 QD-W

- Detection Range 9.3/30 (m/ft)
- Selectable Pulse Count
- Sealed Optics
- Digital Microprocessor Technology
- Omni-directional Quad Element Pyro for True 360° Coverage

Technologies



Digital Signal Processing Algorithms

Intelligently analyses the environment to determine genuine intrusion situations.



Anti-jarring

Eliminates false alarms caused by sudden shocks to the detector triggering electrical signals.



Digital Temperature Compensation

Automatically adjusts the detector's sensitivity when the ambient room temperature changes.



Automatic Sensitivity Adjustment

Filters out background disturbances by automatically adjusting the detector's sensitivity according to the environment.

Features & Functions

Detectors	Premier C.XT-W	Premier C.QD-W	Premier C.PW-W	Premier 360 QD-W
Detection Range (m/ft)	12/40	12/40	12/40	9.3/30
Temperature Compensation	Digital	Digital	Digital	Digital
Pulse Count	Digital	Digital	Digital	Digital
Microprocessor Technology	•	•	•	•
Sealed Optics	•	•	•	•
Miniature Housing	•	•	•	
Pet Immunity			•	
EN 50131-1	G2	G2	G2	G2
EN 50131-2-2	G2	G2	G2	G2

Veritas Control Panels



The best selling Veritas control panels are ideal for residential and light commercial applications due to a winning combination of simplicity, reliability and ease of use. With an intuitive user interface, ergonomic design and innovative design features, it is easy to see why Veritas control panels already protect millions of people.

Veritas Control Panels



Veritas 8 Compact

Slimline, discreet stand alone control panel. Features 8 fully programmable zones and accepts up to 6 backlit remote keypads.



Veritas 8

Best selling stand alone control panel. Features 8 fully programmable zones and accepts up to 6 backlit remote keypads.



Veritas R8

Best selling control panels with remote keypad. Features 8 fully programmable zones and accepts up to 6 backlit remote keypads.



Veritas R8 Plus

Veritas R8 with additional features including EOL wiring, communicator interface and accepts Veritas Excel LCD keypads.



Veritas Excel

All the features of the Veritas R8 Plus including an LCD keypad for even easier programming and operation.

Features & Functions



8 Fully Programmable Zones Plus Tamper

All the Veritas control panels feature 8 fully programmable zones plus an additional global system tamper. Each zone operates in any of the 8 different zone types ensuring exceptional system flexibility.



8 Channel Communicator Interface with Line Monitor

With an on-board 8 channel communicator interface, the Veritas Excel & Veritas R8 Plus can be used in conjunction with other signalling equipment as part of a compliant monitored alarm.



Universal Programming Platform

Each Veritas control panel utilises the same intuitive programming platform as the rest of the Veritas Series, ensuring instant product familiarity across the range.

Features & Functions

Veritas Control Panels	Veritas 8	Veritas 8 Compact	Veritas R8	Veritas R8 Plus	Veritas Excel
8 Fully Programmable Zones Plus Tamper	•	•	•	•	•
8 Channel Communicator Interface With Line Monitor				•	•
Service Timers (Date Programmable)	•	•	•	•	•
Part Sets	2	2	2	4	4
Programmable Access Codes	2	2	2	8	8
Keypad PA Option (Press 3 & 9 Together)	•	•	•	•	•
Accepts Up To Six Backlit Remote Keypads	LED	LED	LED	LED/LCD	LED/LCD
Single Button Quick Set Option	•	•	•	•	•
Latching Walk Test Mode	•	•	•	•	•
Engineer Event Log	7	7	7	250	250
Key Switch Facility	•	•	•	•	•
Quiet Entry Tone On Part Set	•	•	•	•	•
EOL Zone Wiring				•	•
Local Upload/Download†				•	•

Veritas Keypads



Wonderfully simple and easy to use, Veritas keypads remove the complexity often associated with security systems, ensuring that end-users feel confident in operation and can use the system appropriately. Perfect for residential premises, these keypads are exclusively used with Veritas Series control panels.

Veritas Keypads Panels



Veritas RKP

LED keypad for use with any Veritas control panel. Features 8-zone LED indication, touch-tone backlit keys, removable hinged PCB chassis for simple installation and ergonomic design for ease of use.



Veritas Excel RKP

LCD keypad for use with Veritas Excel and Veritas R8 Plus control panels. Features a 32-character LCD display, programmable zone and banner text, direct access to the 250 event log, simplified programming and ease of operation. Can also be used as an engineer's programming tool.

Veritas Detectors



Veritas motion detectors provide exceptional reliability and detection performance for cost sensitive domestic installations. With over 10 million installations in over 85 countries, Veritas Series detectors continue to deliver outstanding performance time and again.

The Veritas Impaq E is a cost-effective vibration detector with class-leading performance and exceptional immunity to false alarm sources. Perfect for residential use, the Veritas Impaq E provides a security upgrade option for doors and windows.

Veritas Motion Detectors

Veritas Reflex



- 12m Volumetric Coverage
- Interchangeable Lens Library
- EN 50131 Grade 2
- Adjustable Mounting Height
- Improved Temperature Compensation Profile
- 50v/m Rf Immunity
- Sealed Optics
- 98° Coverage

Veritas Medusa



- 12m Volumetric Coverage
- Interchangeable Lens Library
- EN 50131 Grade 2
- Adjustable Mounting Height
- Improved Temperature Compensation Profile
- 50v/m Rf Immunity
- Sealed Optics
- 98° Coverage

Veritas Perimeter Detectors

Veritas Impaq E



- Detection Type: Vibration
- Adjustable Sensitivity
- Engineer Setup
- Detection LED
- LED Disable
- Available in Brown

Fire Detectors



With a range of different detection and alarm criteria, the Exodus Series offers a complete heat and smoke sensing solution for even the most diverse of installations. Featuring a heat enhanced optical multisensor for maximum detection performance plus a selection of heat detectors, all available for 12V security panel formats, this EN54 BSI Kitemark approved range of detectors offers comprehensive performance.

BSI Kitemark Approval

Texecom has successfully underlined the quality and safety of the Exodus Series by becoming the first company in the world to be awarded the prestigious BSI Kitemark for EN54-5 & EN54-7 certified detectors.

The Kitemark has been established as the leading certification mark in the UK for over 100 years and provides specifiers and consumers alike with confidence in the quality of the product and reassurance that the product is fit for the purpose for which it is intended. The Kitemark is the ultimate sign of quality and safety.

As the first manufacturer to design EN54 Kitemark detectors for commercial fire alarm system applications, Texecom has ensured that the Exodus Series is at the forefront of fire detection performance and reliability.



Fire Detectors



Exodus OH

Optical and heat multisensor. Heat enhancement ensures high sensitivity to fast burning fires whilst optical chamber provides exceptional false alarm immunity.



Exodus FT64

Fixed 64°C heat detector. Suitable for use where smoke or dust is prevalent with superior false alarm immunity.



Exodus RR

Rate of Rise heat detector. Suitable for use where smoke or dust is prevalent, with fastest heat detection performance.



Exodus FT90

Fixed 90°C heat detector. Suitable for use where smoke or dust is prevalent, ideal for extreme high ambient temperatures.

Superior Optical Design

The Exodus OH features an innovative integrated optical chamber which maximises the volume of smoke analysed whilst maintaining an unobtrusive and elegant aesthetic design. With a large smoke sample size, Texecom's proprietary digital signal processing algorithms can detect genuine alarms rapidly without compromising false alarm immunity.



Heat Enhancement For Fast Burning Flaming Fires

"Optical only" smoke detectors respond well to slow burning smouldering fires due to large smoke particles providing a significant increase in optical signal. However, these designs have a slow response to fast burning flaming fires where the smoke particle size is small. By utilising digital thermal technology, the Exodus OH Optical and Heat Multisensor recognises sudden increases in temperature and changes the sensitivity of the optical chamber accordingly. This "heat enhancement" enables the rapid detection of fast burning flaming fires whilst maintaining the excellent false alarm immunity of a superior optical smoke detector.

Features & Functions

Fire Detectors	Exodus OH	Exodus RR	Exodus FT64	Exodus FT90
12V/4-wire Operation With Alarm Relay	•	•	•	•
Microprocessor Technology	•	•	•	•
Digital Technology Detection Algorithms	•	•	•	•
Latch Input Enables Auto Reset Or Latching Operation	•	•	•	•
Alarm Situation Test Button	•	•	•	•
Optical & Thermal Detection For Optimum Sensitivity	•			
Digital Drift Compensation	•			
EN54-5 Compliant		•	•	•
EN54-7 Compliant	•			
Label Colour	BLUE	GREEN	ORANGE	RED

Software



Texecom aims to not only produce a portfolio of class-leading, high quality electronic security products, but to offer the highest levels of service and support in the industry. Texecom understands that for its customers to be successful, they need to maximise the potential of every product in order to offer the very best security service to existing and prospective customers.

Texecom's range of software products allows installers to do just that. With a complete range of solutions including upload/download, systems diagnostics, remote maintenance and alarm monitoring, Texecom security systems are easy to setup, configure, install and commission. In addition, Texecom provides regular firmware upgrades and enhancements for Premier Elite control systems. The Premier Elite Flasher Interface facilitates firmware upgrades, with new firmware versions being made available in the 'Support' section of the Texecom website.



Premier Elite Flasher Interface

The Premier Elite Flasher Interface can be used to update the control panels firmware, allowing additional features and functions to be added to existing systems.



Wintex Software

Texecom's user-friendly Windows™ based software, designed for use with the Premier control panels, provides complete upload/download and systems diagnostics for total control and flexibility.



Ricochet Monitor Software

Provides greater diagnostics and configuration control over wireless system setup than ever before. Delivers device status and attribute selection with real-time graphical representation of mesh-network wireless systems.



Montex Software

Software based alarm receiver interface for connecting with Premier Elite ComIP alarm signalling equipment. Supports fast format, contact ID and SIA communication protocols. Manages received polling information for each monitored site.



Texbase Software

Texbase is an alarm management software package designed for use in conjunction with the Premier Elite Com IP and Montex software, ideally suited to installers who wish to individually monitor their installed security systems for specific alarm signals.



Maintex Software

Remote maintenance software compatible with Premier Elite control panels. Automates remote maintenance procedure and provides database storage of maintenance information.

Peripherals

Premier Elite USB Modem

Designed specifically for use with Wintex UDL software and a PC to allow trouble free uploading/downloading with Premier Elite and Premier Series control panels.



Key-Fob Programmer

The Key-fob Programmer allows configuration data to be copied from one control panel to another. This reduces programming time and simplifies set-up of multiple system installations.



Premier Elite PC Com

Serial interface connector for connection between control panel and PC, enabling local upload/download.




Premier Elite USB Com

USB interface connector for connection between control panel and PC, enabling local upload/download.



Speech Dialler



The Texcom Speech Dialler enables communication of alarm information to 8 contacts, which can be either standard or mobile telephone numbers.

Speech Dialler



Speech Dialler

- 4 trigger inputs
- 4 voice messages up to 32 seconds in length



Speech & Text Dialler

- All the features of the Texcom Speech Dialler with additional SMS text messaging facility
- 4 text messages, each up to 32 characters in length

Product Compliance Tables

All Texecom products are designed to meet or exceed all relevant international security standards. For territory specific standard requirements please contact a member of the Texecom sales team.

Product Range	Description	Standards
Control Panels	Premier Elite 12 Polymer	EN50131-1, EN50131-3 Grade 2 Class II
	Premier Elite 24 Polymer	EN50131-1, EN50131-3 Grade 2 Class II
	Premier Elite 24 Metal	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 48	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 88	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 168	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 640	EN50131-1, EN50131-3 Grade 3 Class II
Expanders	Premier Elite 60IXD	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite 8XP	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite OP16	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite RM8	EN50131-1, EN50131-3 Grade 3 Class II
Power Supplies	Premier Elite PSU200	EN50131-1, EN50131-3, EN50131-6 Grade 3 Class II
	Premier Elite PSU200XP	EN50131-1, EN50131-3, EN50131-6 Grade 3 Class II
Keypads	Premier Elite LCDLP	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite FMK	EN50131-1, EN50131-3 Grade 3 Class II
	Premier Elite SMK	EN50131-1, EN50131-3 Grade 3 Class II
Communicators	Premier Elite ComIP	EN50131-1, ATS 4
	Premier Elite ComGSM	EN50131-1, ATS 4
	Premier Elite Com2400	EN 50136-2-3, ATS 2
	Premier Elite Com300	EN 50136-2-3, ATS 2
Detectors	Premier Elite AMQD	EN50131-1, EN50131-2-2 Grade 3 Class II
	Premier Elite AM360 QD	EN50131-1, EN50131-2-2 Grade 3 Class II
	Premier Elite AMDT	EN50131-1, EN50131-2-4 Grade 3 Class II
	Premier Elite AM360 DT	EN50131-1, EN50131-2-4 Grade 3 Class II
	Premier Elite IR	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite QD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite DT	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier Elite TD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite CW	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier Elite MR	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Elite Orbit QD	N/A
	Premier Elite Orbit DT	N/A
External Sounders	Premier Elite Odyssey 1/2/3/3 Metal/4/5/5 Compact	EN50131-1, EN50131-4 Grade 3 Class IV
Wireless	Premier Elite 12-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite 12-W LIVE	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite 24-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite 48-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite 8XP-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite 32XP-W	EN50131-1, EN50131-3, EN50131-5-3 Grade 2 Class II
	Premier Elite QD-W	EN50131-1, EN50131-2-2, EN50131-5-3 Grade 2 Class II
	Premier Elite DT-W	EN50131-1, EN50131-2-4, EN50131-5-3 Grade 2 Class II
	Premier Elite XT-W	EN50131-1, EN50131-2-2, EN50131-5-3 Grade 2 Class II
	Premier Elite Impaq Plus-W	EN50131-1, EN50131-2-6, EN50131-5-3 Grade 2 Class II
	Premier Elite Impaq Contact-W	EN50131-1, EN50131-2-6, EN50131-5-3 Grade 2 Class II
	Premier Elite SmartKey	EN50131-1, EN50131-5-3 Grade 2 Class II
	Premier Elite PA DP-W	EN50131-1, EN50131-5-3 Grade 2 Class II
	Premier Elite OH-W	EN50131-1, EN50131-5-3 Grade 2 Class II
Premier Elite Odyssey 1-W/2-W/3-W/4-W/5-W	EN50131-1, EN50131-4, EN50131-5-3 Grade 2 Class II	

Product Range	Description	Standards
Control Panels	Premier 412	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 816	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 816 Plus	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 832	EN50131-1, EN50131-3 Grade 2 Class II
Expanders	Premier 8X	EN50131-1, EN50131-3 Grade 2 Class II
	Premier 8XE	EN50131-1, EN50131-3 Grade 2 Class II
Keypads	Premier RKP4 Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP8 Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP16 Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP8 Plus Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier RKP16 Plus Iconic	EN50131-1, EN50131-3 Grade 2 Class II
	Premier LCD	EN50131-1, EN50131-3 Grade 3 Class II
	Premier LCDL	EN50131-1, EN50131-3 Grade 3 Class II
	Premier LCDP	EN50131-1, EN50131-3 Grade 3 Class II
Detectors	Premier Compact IR	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Compact XT	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Compact PW	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier Compact QD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier 360 QD	EN50131-1, EN50131-2-2 Grade 2 Class II
	Premier 360 DT	EN50131-1, EN50131-2-4 Grade 2 Class II
	Premier External TD Black	N/A
	Premier External TD White	N/A
Perimeter Protection	Premier Impaq Plus	EN50131-1 Grade 2 Class II
	Premier Impaq Plus with Contact	EN50131-1, EN50131-2-6 Grade 2 Class II
	Premier Impaq Glass Break	EN50131-1, TS50131-2-7-1 Grade 2 Class II
External Sounders	Premier Odyssey 1E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 2E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 3E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 4E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 5E	EN50131-1, EN50131-4 Grade 2 Class IV
	Premier Odyssey 5E Compact	EN50131-1, EN50131-4 Grade 2 Class IV
Wireless	Premier Compact XT-W	EN50131-1, EN50131-2-2, EN50131-5-3 Grade 2 Class II
	Premier Compact PW-W	EN50131-1, EN50131-2-2, EN50131-5-3 Grade 2 Class II
	Premier Compact QD-W	EN50131-1, EN50131-2-2, EN50131-5-3 Grade 2 Class II
	Premier 360 QD-W	EN50131-1, EN50131-2-2, EN50131-5-3 Grade 2 Class II

Product Range	Description	Standards
Control Panels	Veritas 8	EN50131-3 Grade 1 Class II
	Veritas 8 Compact	EN50131-3 Grade 1 Class II
	Veritas R8	EN50131-3 Grade 1 Class II
	Veritas R8 Plus	EN50131-3 Grade 2 Class II
	Veritas Excel	EN50131-3 Grade 2 Class II
Keypads	Veritas RKP	EN50131-3 Grade 2 Class II
	Veritas Excel LCD	EN50131-3 Grade 2 Class II
Detectors	Veritas Reflex	EN50131-1, EN50131-2-2 Grade 2 Class II
	Veritas Medusa	EN50131-1, EN50131-2-2 Grade 2 Class II
Perimeter Protection	Veritas Impaq E	EN50131-1 Grade 2 Class II

Product Range	Description	Standards
Fire Detectors	Exodus OH	EN54-7
	Exodus RR	EN54-5
	Exodus FT64	EN54-5
	Exodus FT90	EN54-5

Texecom Website

Designed with a fresh innovative appearance and user friendly function, the new website has a greater emphasis on enhancing the user experience. One such example is the 'Support' area; a section of the website dedicated solely for Texecom customers. Once logged in as a registered installer, users have access to all information and services available from Texecom including the online forum and branding scheme.

The website will be updated on a regular basis, so look out for news of events, product launches and new content.




Firmware Updates

Be the first to get the latest Premier Elite firmware updates direct from the Texecom website. The new firmware update section, found within the 'Support' area of the Texecom website, allows registered installers access to the latest firmware downloads, revision history and descriptions of enhancements and bug fixes.

This feature will be extended to include all software and firmware related products, and can be self-monitored by using our dedicated firmware update RSS feed.

Features include:

- Firmware release dates, latest firmware downloads, descriptions of updates and bug fixes
- RSS news feed to get notified of the latest changes, covers all Premier Elite control panels



Select your control panel

Choose firmware version

Get notified of latest updates via the RSS feed

See descriptions of updates and bug fixes

Download the latest firmware

Texecom Forum

Texecom has launched a free online forum where customers and industry professionals can ask questions, discuss and learn about new developments from the company and within the security industry.

Between the knowledge, experience and expertise of the company's own staff and the community of security professionals, Texecom expects the new forum to offer an ideal platform for troubleshooting, problem solving, and keeping customers updated with the latest news that is important to them.

The forum can be found at <http://texecom.websitetoolbox.com>.



Texecom Product Branding Scheme

You specify the best equipment. You design the innovative security solution. You make your customer's lives and livelihoods safer.

Isn't it time you took the credit?

With Texecom you can. Introducing the Texecom Product Branding Scheme, a new service that ensures your company's logo and contact details are given maximum exposure.

Selected Texecom products are now available with a designated installer branding position which allows you to introduce your own personalised company emblem, elevating your profile in a professional and quality manner.

Personalised company emblems are custom made by Texecom and available as a pack of 80 emblems for use on a variety of Texecom products, including keypads, control panels and expanders.

Keypads



Expanders



Panels



Texecom

Head Office:

Bradwood Court, St. Crispin Way, Haslingden, Lancashire, BB4 4PW England
Telephone: +44 (0)1706 220460 Facsimile: +44 (0)1706 223450
Email: intsales@texe.com techsupport@texe.com

www.texe.com

© Texecom Limited 2014 (LIT-0190-4)

A HALMA COMPANY